

CATALOG NO. 164

S·K

WAYNE

TOOLS



S-K WAYNE TOOLS • CHICAGO 32, ILL. / DEFIANCE, OHIO • SUBSIDIARY OF SYMINGTON WAYNE CORPORATION
Formerly S-K/Lectrolite. Nothing has changed but our last name.

contents & warranty

Socket Wrench Sets.....	1, 2, 3, 4, 5, 6, 7
Metric Socket Sets & Display.....	8
1/4" Sockets & Handles.....	9
3/8" Sockets & Handles.....	10, 11
Ratchet Renewals.....	11
1/2" Sockets, Handles and Attachments.....	12
3/4" Sockets, Handles and Attachments.....	13
Tool Boxes.....	14, 15
Spā Saver* Displays.....	16, 17, 18, 19
Box End Wrench Sets.....	20
Combination Wrench Sets.....	21
Open End Wrench Sets.....	22, 23
Individual Forged Alloy Wrenches.....	24
Carbon Wrench Sets.....	25
Adjustable Wrenches.....	26
Special Use Pliers.....	26, 27
Pipe Wrenches, Pliers and Automotive Tools.....	28
S-K Ratchet Maintenance & Operation.....	Back Cover

S·K

WAYNE

All S-K Wayne Tools are guaranteed against defective material or workmanship. Any tool showing a defect in material or workmanship, will be repaired or replaced free of charge, upon inspection by the Company. Tools abused or worn out from excessive use will not be replaced.

*Trademark

Invaluable timesavers for mechanics making close adjustments of small nuts and bolts. Also ideal for aircraft mechanics, and radio, TV and appliance repairmen.

1/4" drive socket sets

S·K

WAYNE



BASIC SET No. 4910 (10 pcs.)

9 Standard 6 point Sockets and 1 Spinner Handle, all 1/4" drive. Packed in steel case: 1 1/8" high; 6 1/2" long; 2 5/16" wide.

No.	Description	No.	Description
40906	3/16" 6 pt. Skt.	40911	1 1/32" 6 pt. Skt.
40907	7/32" 6 pt. Skt.	40912	3/8" 6 pt. Skt.
40908	1/4" 6 pt. Skt.	40914	7/16" 6 pt. Skt.
40909	9/32" 6 pt. Skt.	40916	1/2" 6 pt. Skt.
40910	5/16" 6 pt. Skt.	40954	Spinner Handle

Std. Pkg. 1

Shipping Weight Each, .8 lbs.

SET No. 4907 (7 pcs.)

7 Deep Sockets, 1/4" square drive, all 6 point. Packed in steel case, 2" high; 4" long.

No.	Description
41908	1/4" Deep Skt.
41909	9/32" Deep Skt.
41910	5/16" Deep Skt.
41911	11/32" Deep Skt.

Std. Pkg. 1



No.	Description
41912	3/8" Deep Skt.
41914	7/16" Deep Skt.
41916	1/2" Deep Skt.

Shipping Weight Each, .6 lbs.



INTERMEDIATE SET No. 4915 (15 pcs.)

11 Standard Sockets, 1 Ratchet and 3 Accessories, all 1/4" drive. Packed in steel case: 1 1/8" high; 6 1/2" long; 2 5/16" wide.

No.	Description	No.	Description
40906	3/16" 6 pt. Skt.	40916	1/2" 6 pt. Skt.
40907	7/32" 6 pt. Skt.	40988	3/4" 8 pt. Skt.
40908	1/4" 6 pt. Skt.	40900	5/16" 8 pt. Skt.
40909	9/32" 6 pt. Skt.	40954	Spinner Handle
40910	5/16" 6 pt. Skt.	40961	2" Extension
40911	11/32" 6 pt. Skt.	40962	6" Extension
40912	3/8" 6 pt. Skt.	40970	Ratchet
40914	7/16" 6 pt. Skt.		

Std. Pkg. 1

Shipping Weight Each, 1.4 lbs.



MASTER SET No. 4921 (21 pcs.)

9 Standard Sockets and 7 Deep Sockets (all 6 pt.), 1 Ratchet and 4 Accessories, all 1/4" drive. Packed in steel case: 1 1/8" high, 10 1/2" long, 2 1/2" wide.

No.	Description	No.	Description
40906	3/16" Std. Skt.	41910	5/16" Deep Skt.
40907	7/32" Std. Skt.	41911	11/32" Deep Skt.
40908	1/4" Std. Skt.	41912	3/8" Deep Skt.
40909	9/32" Std. Skt.	41914	7/16" Deep Skt.
40910	5/16" Std. Skt.	41916	1/2" Deep Skt.
40911	11/32" Std. Skt.	40954	Spinner Handle
40912	3/8" Std. Skt.	40961	2" Extension
40914	7/16" Std. Skt.	40962	6" Extension
40916	1/2" Std. Skt.	40970	Ratchet
41908	1/4" Deep Skt.	40990	Universal Joint
41909	9/32" Deep Skt.		

Std. Pkg. 1

Shipping Weight Each, 2.3 lbs.

**3/8"
drive**

**socket
sets**

S·K

WAYNE



BASIC SET No. 4511 (11 pcs.)

7 Standard Sockets, 1 Spark Plug Socket, with neoprene insert, 1 Ratchet and 2 Accessories, all 3/8" drive. Packed in steel case: 1 3/8" high; 8 3/8" long; 3 3/8" wide.

No.	Description	No.	Description
45112	3/8" 6 pt. Skt.	45124	3/4" 12 pt. Skt.
45114	7/16" 6 pt. Skt.	45160	3" Extension
45116	1/2" 6 pt. Skt.	45161	6" Extension
45118	9/16" 6 pt. Skt.	45170	Ratchet
45120	5/8" 12 pt. Skt.	4426	13/16" Spark Plug Skt.
45122	11/16" 12 pt. Skt.		

Std. Pkg. 1

Shipping Weight Each, 2.6 lbs.



SET No. 4607 (7 pcs.)

7 Flex Sockets, 3/8" drive, all 6 point. Packed in steel case, 1 1/8" high; 6 1/2" long; 2 3/16" wide.

No.	Description	No.	Description
40612	3/8" Flex Skt.	40620	5/8" Flex Skt.
40614	7/16" Flex. Skt.	40622	11/16" Flex Skt.
40616	1/2" Flex Skt.	40624	3/4" Flex Skt.
40618	9/16" Flex Skt.		

Std. Pkg. 1

Shipping Weight Each, 1.2 lbs.



SET No. 4408 (8 pcs.)

8 Deep Sockets, 3/8" drive, all 6 point. Packed in steel case, 1 1/4" high; 7" long; 2 3/4" wide.

No.	Description	No.	Description
40412 ✓	3/8" Deep Skt.	40420 ✓	5/8" Deep Skt.
40414 ✓	7/16" Deep Skt.	40422 ✓	11/16" Deep Skt.
40416 ✓	1/2" Deep Skt.	40424 ✓	3/4" Deep Skt.
40418 ✓	9/16" Deep Skt.	40426 ✓	13/16" Deep Skt.

Std. Pkg. 1

Shipping Weight Each, 2.0 lbs.

3/8"
drive

**socket
sets**

S·K

WAYNE

These sets combine 3/8" drive sockets and handles. Exceptionally popular among automotive and airplane mechanics, factory maintenance men, appliance repairmen, tradesmen, farmers and hobbyists.



ALL-PURPOSE SET No. 4520 (20 pcs.)

7 Standard Sockets, 8 Deep Sockets, 1 Ratchet and 4 Accessories, all 3/8" drive. Packed in steel case: 1 1/2" high; 15" long; 3" wide.

No.	Description	No.	Description
45112	3/8" Std. 6 pt. Skt.	40418	9/16" Deep 6 pt. Skt.
45114	7/16" Std. 6 pt. Skt.	40420	5/8" Deep 6 pt. Skt.
45116	1/2" Std. 6 pt. Skt.	40422	11/16" Deep 6 pt. Skt.
45118	9/16" Std. 6 pt. Skt.	40424	3/4" Deep 6 pt. Skt.
45120	5/8" Std. 12 pt. Skt.	40426	13/16" Deep 6 pt. Skt.
45122	11/16" Std. 12 pt. Skt.	45150	Cross Bar
45124	3/4" Std. 12 pt. Skt.	45153	Flex Handle
40412	3/8" Deep 6 pt. Skt.	45160	3" Extension
40414	7/16" Deep 6 pt. Skt.	45170	Ratchet
40416	1/2" Deep 6 pt. Skt.	45190	Universal Joint

Std. Pkg. 1

Shipping Weight Each, 5.0 lbs.


MASTER SET No. 4528 (28 pcs.)

7 Standard Sockets, 8 Deep Sockets, 5 Flex Sockets, 1 Ratchet and 7 Accessories, all 3/8" drive. Packed in steel case: 1 1/2" high; 17 1/2" long; 4 1/8" wide.

No.	Description	No.	Description
40412	3/8" Deep 6 pt. Skt.	45114	7/16" Std. 6 pt. Skt.
40414	7/16" Deep 6 pt. Skt.	45116	1/2" Std. 6 pt. Skt.
40416	1/2" Deep 6 pt. Skt.	45118	9/16" Std. 6 pt. Skt.
40418	5/8" Deep 6 pt. Skt.	45120	5/8" Std. 12 pt. Skt.
40420	3/4" Deep 6 pt. Skt.	45122	11/16" Std. 12 pt. Skt.
40422	11/16" Deep 6 pt. Skt.	45124	3/4" Std. 12 pt. Skt.
40424	3/4" Deep 6 pt. Skt.	45150	Cross Bar
40426	13/16" Deep 6 pt. Skt.	45153	Flex Handle
40614	7/16" Flex 6 pt. Skt.	45160	3" Extension
40616	1/2" Flex 6 pt. Skt.	45161	6" Extension
40618	9/16" Flex 6 pt. Skt.	45162	12" Extension
40620	5/8" Flex 6 pt. Skt.	45170	Ratchet
40622	11/16" Flex 6 pt. Skt.	45181	Speeder
45112	3/8" Std. 6 pt. Skt.	45190	Universal Joint

Std. Pkg. 1

Shipping Weight Each, 9.0 lbs.



1/2" drive

socket sets

S·K

WAYNE



BASIC SET No. 4112 (12 pcs.)

9 Standard Sockets, 1 Spark Plug Socket with neoprene insert, 1 Reversible Ratchet and 1 Extension, all 1/2" drive. Packed in steel case: 1 1/16" high; 10 3/4" long; 3 3/4" wide.

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40126	1 1/16" Std. 12 pt. Skt.
40116	1/2" Std. 6 pt. Skt.	40128	7/8" Std. 12 pt. Skt.
40118	9/16" Std. 6 pt. Skt.	40130	15/16" Std. 12 pt. Skt.
40120	5/8" Std. 12 pt. Skt.	40161	5" Extension
40122	1 1/16" Std. 12 pt. Skt.	42470	Ratchet
40124	3/4" Std. 12 pt. Skt.	4826	1 3/16" Spark Plug Skt.

Std. Pkg. 1

Shipping Weight Each, 5.2 lbs.


ALL-PURPOSE SET No. 4118 (18 pcs.)

12 Standard Sockets, 1 Ratchet and 5 Accessories, all 1/2" drive. Packed in steel case: 1 1/4" high; 18 5/8" long; 6 1/4" wide.

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40132	1" Std. 12 pt. Skt.
40116	1/2" Std. 6 pt. Skt.	40134	1 1/16" Std. 12 pt. Skt.
40118	9/16" Std. 6 pt. Skt.	40136	1 1/8" Std. 12 pt. Skt.
40120	5/8" Std. 12 pt. Skt.	40152	Slide T Handle
40122	1 1/16" Std. 12 pt. Skt.	40161	5" Extension
40124	3/4" Std. 12 pt. Skt.	40162	10" Extension
40126	1 3/16" Std. 12 pt. Skt.	40181	Speeder Handle
40128	7/8" Std. 12 pt. Skt.	41653	17" Flex Handle
40130	15/16" Std. 12 pt. Skt.	42470	Ratchet

Std. Pkg. 1

Shipping Weight Each, 14 lbs.



SET No. 4808 (8 pcs.)

8 Deep Sockets, 1/2" drive. Packed in steel case: 1 1/2" high; 8 3/4" long; 3 3/4" wide.

No.	Description	No.	Description
40816	1/2" Deep 12 pt. Skt.	40824	3/4" Deep 12 pt. Skt.
40818	9/16" Deep 12 pt. Skt.	40826	13/16" Deep 12 pt. Skt.
40820	5/8" Deep 12 pt. Skt.	40828	7/8" Deep 12 pt. Skt.
40822	1 1/16" Deep 12 pt. Skt.	40830	15/16" Deep 12 pt. Skt.

Std. Pkg. 1

Shipping Weight Each, 4.3 lbs.



INTERMEDIATE SET No. 4116 (16 pcs.)

13 Standard Sockets, 1 Ratchet and 2 Accessories, all 1/2" drive. Packed in steel case: 1 1/8" high; 17" long; 3 3/8" wide.

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40130	15/16" Std. 12 pt. Skt.
40116	1/2" Std. 6 pt. Skt.	40132	1" Std. 12 pt. Skt.
40118	9/16" Std. 6 pt. Skt.	40134	1 1/16" Std. 12 pt. Skt.
40120	5/8" Std. 12 pt. Skt.	40136	1 1/8" Std. 12 pt. Skt.
40122	1 1/16" Std. 12 pt. Skt.	40140	1 1/4" Std. 12 pt. Skt.
40124	3/4" Std. 12 pt. Skt.	40161	5" Extension
40126	1 3/16" Std. 12 pt. Skt.	41653	17" Flex Handle
40128	7/8" Std. 12 pt. Skt.	42470	Ratchet

Std. Pkg. 1

Shipping Weight Each, 10 lbs.

1/2" drive

socket sets

S-K

WAYNE

MASTER SET No. 4122 (22 pcs.)

14 Standard Sockets, 1 Ratchet and 7 Accessories, all 1/2" drive. Packed in heavy-duty steel box with full-size tote tray. Two full-length piano type hinges and tamper-proof hasp. Box Size: 8 3/4" high; 19" long; 7" wide.

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40134	1 1/16" Std. 12 pt. Skt.
40116	1/2" Std. 6 pt. Skt.	40136	1 1/8" Std. 12 pt. Skt.
40118	9/16" Std. 6 pt. Skt.	40140	1 1/4" Std. 12 pt. Skt.
40119	19/32" Std. 12 pt. Skt.	40152	Slide T Handle
40120	5/8" Std. 12 pt. Skt.	40160	2" Extension
40122	11/16" Std. 12 pt. Skt.	40161	5" Extension
40124	3/4" Std. 12 pt. Skt.	40162	10" Extension
40126	13/16" Std. 12 pt. Skt.	40181	Speeder Handle
40128	7/8" Std. 12 pt. Skt.	40190	Universal Joint
40130	15/16" Std. 12 pt. Skt.	41653	17" Flex Handle
40132	1" Std. 12 pt. Skt.	42470	Ratchet

Std. Pkg. 1

Shipping Weight Each, 22 lbs.



1/4" DRIVE COMPONENTS (15 pcs.)

No.	Description	No.	Description
40906	3/16" 6 pt. Skt.	40916	1/2" 6 pt. Skt.
40907	7/32" 6 pt. Skt.	40988	1/4" 8 pt. Skt.
40908	1/4" 6 pt. Skt.	40900	5/16" 8 pt. Skt.
40909	9/32" 6 pt. Skt.	40954	Spinner Handle
40910	5/16" 6 pt. Skt.	40961	2" Extension
40911	11/32" 6 pt. Skt.	40962	6" Extension
40912	3/8" 6 pt. Skt.	40970	Ratchet
40914	7/16" 6 pt. Skt.		

3/8" DRIVE COMPONENTS (14 pcs.)


No.	Description	No.	Description
45112	3/8" 6 pt. Skt.	45159	1 1/2" Extension
45114	7/16" 6 pt. Skt.	45161	6" Extension
45116	1/2" 6 pt. Skt.	45162	12" Extension
45118	9/16" 6 pt. Skt.	45170	Ratchet
45120	5/8" 12 pt. Skt.	45181	Speeder Handle
45122	11/16" 12 pt. Skt.	45190	Universal Joint
45124	3/4" 12 pt. Skt.	4426	13/16" Spark Plug Skt.

1/2" DRIVE COMPONENTS (21 pcs.)

No.	Description	No.	Description
40114	7/16" 6 pt. Skt.	40134	1 1/16" 12 pt. Skt.
40116	1/2" 6 pt. Skt.	40136	1 1/8" 12 pt. Skt.
40118	9/16" 6 pt. Skt.	40138	1 1/4" 12 pt. Skt.
40119	19/32" 12 pt. Skt.	40140	1 1/2" 12 pt. Skt.
40120	5/8" 12 pt. Skt.	40160	2" Extension
40122	11/16" 12 pt. Skt.	40161	5" Extension
40124	3/4" 12 pt. Skt.	40162	10" Extension
40126	13/16" 12 pt. Skt.	40190	Universal Joint
40128	7/8" 12 pt. Skt.	41653	17" Flex Handle
40130	15/16" 12 pt. Skt.	42470	Ratchet
40132	1" 12 pt. Skt.		

Std. Pkg. 1.

Shipping Weight Each, 30 lbs.



GENERAL-PURPOSE COMBINATION SET No. 4150 (50 pcs.)

This fifty piece selection includes a wide range of standard sockets, ratchets, extensions, handles and universal joints. Complete set is packed in a very popular style metal box with full-size tote tray — ample space for many additional tools. Box Size: 9 1/2" high; 20" long; 8 1/2" wide.

**3/4"
drive**

**socket
sets**

S·K

WAYNE



Many mechanics consider these heavy duty tools necessities for servicing railroad, industrial, factory and road construction equipment. Also used extensively in shipyards, heavy building construction, oil fields and farms.

BASIC SET No. 4711 (11 pcs.)

Specially designed for heavy-duty truck, tractor and bus work, this popular assortment will serve the needs of the average mechanic. 9 Sockets, all 12 pt., and 2 Accessories. Packed in steel case: 2 1/2" high; 18 3/8" long; 5 1/2" wide.

No.	Description	No.	Description
47130	1 5/16" Skt.	47146	1 1/16" Skt.
47134	1 1/16" Skt.	47148	1 1/2" Skt.
47136	1 1/8" Skt.	47152	1 3/8" Skt.
47140	1 1/4" Skt.	47153	Slide T Handle
47142	1 3/16" Skt.	47161	8" Extension
47144	1 3/8" Skt.		

Std. Pkg. 1

Shipping Weight Each, 17 lbs.



SET No. 4711A (not shown)

Identical to set 4711 above, but with No. 47155 Flex Handle instead of No. 47153 Slide T.

Std. Pkg. 1

Shipping Weight Each, 16 lbs.

MASTER SET No. 4722 (22 pcs.)

A full-range set to answer the needs of mechanics servicing heavy duty truck, tractor, bus, oil well, railway or diesel equipment. 18 Sockets, all 12 pt., 1 Ratchet and 3 Accessories. Packed in sturdy metal box featuring lift-out tray, piano-type hinge, and hasp for padlock: 9 1/2" high; 20" long; 8 1/2" wide.

No.	Description	No.	Description
47128	3/8" Skt.	47150	1 9/16" Skt.
47130	1 5/16" Skt.	47152	1 5/8" Skt.
47132	1" Skt.	47154	1 11/16" Skt.
47134	1 1/16" Skt.	47156	1 3/4" Skt.
47136	1 1/8" Skt.	47158	1 13/16" Skt.
47138	1 3/16" Skt.	47160	1 7/8" Skt.
47140	1 1/4" Skt.	47164	2" Skt.
47142	1 3/16" Skt.	47153	Slide T Handle
47144	1 1/2" Skt.	47161	8" Extension
47146	1 7/16" Skt.	47162	16" Extension
47148	1 1/2" Skt.	47170	Ratchet

Std. Pkg. 1

Shipping Weight Each, 44 lbs.

master combination set

1/4"-3/8"-1/2" drive

S·K

WAYNE

1/4" DRIVE COMPONENTS (16 pcs.)

No.	Description	No.	Description
40906	3/16" 6 pt. Skt.	40916	1/2" 6 pt. Skt.
40907	7/32" 6 pt. Skt.	40988	1/4" 8 pt. Skt.
40908	1/4" 6 pt. Skt.	40900	5/16" 8 pt. Skt.
40909	9/32" 6 pt. Skt.	40954	Spinner Handle
40910	5/16" 6 pt. Skt.	40961	2" Extension
40911	11/32" 6 pt. Skt.	40962	6" Extension
40912	3/8" 6 pt. Skt.	40970	Ratchet
40914	7/16" 6 pt. Skt.	40990	Universal Joint

3/8" DRIVE COMPONENTS (29 pcs.)

No.	Description	No.	Description
45112	3/8" Std. 6 pt. Skt.	40414	7/16" Deep 6 pt. Skt.
45114	7/16" Std. 6 pt. Skt.	40416	1/2" Deep 6 pt. Skt.
45116	1/2" Std. 6 pt. Skt.	40418	9/16" Deep 6 pt. Skt.
45118	5/8" Std. 6 pt. Skt.	40420	3/4" Deep 6 pt. Skt.
45120	3/8" Std. 12 pt. Skt.	40422	11/16" Deep 6 pt. Skt.
45122	11/16" Std. 12 pt. Skt.	40424	3/4" Deep 6 pt. Skt.
45124	3/4" Std. 12 pt. Skt.	40426	13/16" Deep 6 pt. Skt.
45153	Flex Handle	40612	3/8" Flex 6 pt. Skt.
45160	3" Extension	40614	7/16" Flex 6 pt. Skt.
45161	6" Extension	40616	1/2" Flex 6 pt. Skt.
45162	12" Extension	40618	9/16" Flex 6 pt. Skt.
45170	Ratchet	40620	5/8" Flex 6 pt. Skt.
45181	Speeder Handle	40622	11/16" Flex 6 pt. Skt.
45190	Universal Joint	40624	3/4" Flex 6 pt. Skt.
40412	3/8" Deep 6 pt. Skt.		

1/2" DRIVE COMPONENTS (30 pcs.)

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40160	2" Extension
40116	1/2" Std. 6 pt. Skt.	40161	5" Extension
40118	9/16" Std. 6 pt. Skt.	40162	10" Extension
40119	19/32" Std. 12 pt. Skt.	40181	Speeder Handle
40120	5/8" Std. 12 pt. Skt.	40190	Universal Joint
40122	11/16" Std. 12 pt. Skt.	41653	17" Flex Handle
40124	3/4" Std. 12 pt. Skt.	42470	Ratchet
40126	13/16" Std. 12 pt. Skt.	40816	1/2" Deep Skt.
40128	7/8" Std. 12 pt. Skt.	40818	9/16" Deep Skt.
40130	15/16" Std. 12 pt. Skt.	40820	3/8" Deep Skt.
40132	1" Std. 12 pt. Skt.	40822	11/16" Deep Skt.
40134	1 1/16" Std. 12 pt. Skt.	40824	3/4" Deep Skt.
40136	1 1/8" Std. 12 pt. Skt.	40826	13/16" Deep Skt.
40140	1 1/4" Std. 12 pt. Skt.	40828	7/8" Deep Skt.
4V118	9/16" Ford V8 Rod Skt.	40830	15/16" Deep Skt.

COMBINATION and BOX WRENCHES (10 pcs.)

No.	Description	No.	Description
M -1214	3/8" x 7/16" Short Box	C-16	1/2" Comb. Wr.
M -1618	1/2" x 9/16" Short Box	C-18	9/16" Comb. Wr.
M -2022	5/8" x 11/16" Short Box	C-20	3/8" Comb. Wr.
C-12	3/8" Comb. Wr.	C-22	11/16" Comb. Wr.
C-14	7/16" Comb. Wr.	C-24	3/4" Comb. Wr.

MASTER COMBINATION SET No. 4185 (85 pcs.)

A really complete Socket Wrench set — with an all-purpose selection of standard, special and deep sockets, handles, extensions, ratchets, universal joints and flex sockets, plus seven combination wrenches and three short box end wrenches. 1/4" drive set is packed in individual steel case. Entire set is packed in our No. 6611 HEAVY DUTY TOOL CHEST: 10" high; 22" long; 10" wide. (For detailed information on this chest, see page 15.)



No. 4185 Master Combination Set: std. pkg. 1. Shipping Weight Each, 59 lbs.

metric sockets, sets & display

3/8" drive

S·K

WAYNE



SET No. 13 — 3/8" DRIVE

13 metric sockets, 6 point, sizes 7 mm. through 19 mm. in unique flip-lock tray.

Std. Pkg. 1

Shipping Wt. 1.3 lbs.



SET No. 14 — 3/8" DRIVE

10 metric sockets, 6 point, sizes 7 mm. through 15 mm. and 17 mm.; 13/16" spark plug holding socket; 1 1/2" and 6" extensions; and famous S-K ratchet. Metal box 1 3/8" x 8 3/8" x 3 3/8".

Std. Pkg. 1

Shipping Wt. 2.6 lbs.

No. 15 METRIC SOCKET & SET DISPLAY

A special use display with big profit potential. Takes advantage of big foreign car repair market. Compact presentation for counter or peg board. Includes 2 13 sets; 1 14 set; one each of sockets 307, 308, 316, 317, 318, 319; two each of sockets 309, 310, 311, 312, 313, 314, 315.


Size 10 1/2" x 11 1/2".

Shipping Wt. 7.8 lbs.

INDIVIDUAL METRIC SOCKETS

All 6 point — 3/8" drive

Item No.	Size	Std. Pkg. Quantity	Pkg. Weight
307	7 mm.	6	.3
308	8 mm.	6	.3
309	9 mm.	6	.3
310	10 mm.	6	.3
311	11 mm.	6	.3
312	12 mm.	6	.3
313	13 mm.	6	.4
314	14 mm.	6	.4
315	15 mm.	6	.5
316	16 mm.	6	.6
317	17 mm.	6	.7
318	18 mm.	6	.8
319	19 mm.	6	.8



S-K Wayne sockets, ratchets and accessories are famous for highly-polished finishes, superior design, rugged strength, perfect balance and precision machined openings. These quality features make them outstanding hand tool values.

REVERSIBLE RATCHET



Has 60-Tooth mechanism, an exclusive design which permits operation in arcs as small as 6°. For other details on S-K Ratchets, see Back Cover.

Part Number	Length	Head Diam.	Pkg.* Weight
40970	4½"	1"	1.1 lbs.

SPINNER HANDLE




Part Number	Length	Pkg.* Weight
40954	6"	1.0 lbs.

FLEX HEAD HANDLE



Part Number	Length	Head Diam.	Pkg.* Weight
40953	5¼"	½"	1.2 lbs.

EXTENSIONS



Part Number	Length	Diam.	Pkg.* Weight
40961	2"	2¼/64"	.3 lb.
40962	6"	2¼/64"	.9 lb.

UNIVERSAL JOINT 409 Series



Part Number	Length	Pkg.* Weight
40990	11½"	.3 lb.

1/4"
drive

sockets,
handles &
attachments

S-K

WAYNE

S-K 1/4" drive sockets and handles are widely preferred by automotive, aircraft and industrial mechanics who appreciate smart design, accurate machining and high-quality finishes.

STANDARD SOCKETS 409 Series

6 Point



Part Number	Size	Length	Pkg.* Weight
40906	3/16"	7/8"	.2 lb.
40907	1/32"	7/8"	.2 lb.
40908	1/4"	7/8"	.2 lb.
40909	9/32"	7/8"	.2 lb.
40910	5/16"	7/8"	.2 lb.
40911	11/32"	7/8"	.2 lb.
40912	3/8"	7/8"	.2 lb.
40914	7/16"	7/8"	.3 lb.
40916	1/2"	7/8"	.3 lb.

8 Point



Part Number	Size	Length	Pkg.* Weight
40988	1/4"	7/8"	.2 lb.
40900	5/16"	7/8"	.3 lb.
40901	3/8"	7/8"	.3 lb.

DEEP SOCKET 419 Series

6 Point



Part Number	Size	Length	Pkg.* Weight
41908	1/4"	2"	.3 lb.
41909	9/32"	2"	.3 lb.
41910	5/16"	2"	.4 lb.
41911	11/32"	2"	.4 lb.
41912	3/8"	2"	.5 lb.
41914	7/16"	2"	.6 lb.
41916	1/2"	2"	.7 lb.

*All above items packed in standard package of 6

sockets handles & attachments

3/8" drive

S·K

WAYNE

FLEX HEAD HANDLE



Part Number	Length	Head Diam.	Pkg.* Weight
45153	7½"	¾"	3.1 lbs.

UNIVERSAL JOINT



Part Number	Length	Pkg.* Weight
45190	1⅞"	.8 lb.

ADAPTERS



Permit use of ¼" and ½" drive sockets with ¾" drive handles.

Part Number	Size	Length	Pkg.* Weight
384	¾" F-¼" M	1⅞"	.4 lb.
451	¾" F-½" M	1⅞"	.5 lb.

FLEX SOCKETS 406 Series

6 Point



Part Number	Size	Length	Pkg.* Weight
40612	¾"	1⅞"	.5 lb.
40614	7/16"	1⅞"	.5 lb.
40616	½"	1⅞"	.6 lb.
40618	9/16"	1¾"	.7 lb.
40620	5/8"	1⅝ ³² "	.8 lb.
40622	11/16"	1⅝ ¹⁶ "	.8 lb.
40624	¾"	1⅞"	.9 lb.

These ¾" drive sockets and handles are widely preferred by automotive, aircraft and industrial mechanics who appreciate smart design, accurate machining and high-quality finish.

ROTO-RATCHET



Ten-inch handle pivots through full 270° arc, offers unmatched versatility of use. Nickel chrome plated for superior protection and appearance. Tested and proved by auto mechanics.

Part No.	Length	Std. Pkg.	Pkg. Weight
3870	10½"	6	6.2 lbs.


REVERSIBLE RATCHET



Another of the famous line of S-K Ratchets — with close, positive action assured by 40-tooth mechanism. This handle saves time on jobs in cramped quarters. For details on S-K Ratchets, see Back Cover.


Part Number	Length	Head Diam.	Pkg.* Weight
45170	7½"	1⅞"	3.7 lbs.

SPEEDER HANDLE



Part Number	Length	Diam.	Pkg.* Weight
45181	16½"	¾"	5.9 lb.

EXTENSIONS



Part Number	Length	Diam.	Pkg.* Weight
45159	1½"	—	.5 lb.
45160	3"	7/16"	1.0 lb.
45161	6"	7/16"	1.7 lbs.
45162	12"	7/16"	3.3 lbs.

*All above items packed in standard package of 6

STANDARD SOCKETS 451 Series

6 Point




Part Number	Size	Length	Pkg.* Weight
45112 (6 pt.)	3/8"	7/8"	.2 lb.
45114 (6 pt.)	7/16"	7/8"	.3 lb.
45116 (6 pt.)	1/2"	7/8"	.3 lb.
45118 (6 pt.)	9/16"	7/8"	.4 lb.

12 Point



Part Number	Size	Length	Pkg.* Weight
45120 (12 pt.)	5/8"	7/8"	.5 lb.
45122 (12 pt.)	11/16"	1"	.6 lb.
45124 (12 pt.)	3/4"	1"	.7 lb.

SPARK PLUG SOCKET




Neoprene insert holds spark plug securely. Protects porcelain.

Part Number	Size	Length	Pkg.* Weight
4426	13/16"	2 5/16"	1.7 lbs.

DEEP SOCKETS 404 Series

6 Point




Part Number	Size	Length	Pkg.* Weight
40412	3/8"	1 3/4"	.5 lb.
40414	7/16"	1 3/4"	.5 lb.
40416	1/2"	1 3/4"	.6 lb.
40418	9/16"	1 3/4"	.8 lb.
40420	5/8"	2 1/2"	1.3 lbs.
40422	11/16"	2 1/2"	1.5 lbs.
40424	3/4"	2 1/2"	1.9 lbs.
40426	13/16"	2 1/2"	2.1 lbs.

*All above items packed in standard package of 6

ratchet renewals

1/4"
3/8"
1/2"
3/4"



S-K

WAYNE

S-K ratchets are designed so it is a simple operation to remove a worn operating mechanism and install a Ratchet Renewal unit. (Further information on back cover.)

Part Number	Old No.	Drive Size	Std. Pkg.	Weight Each
40970-2	B 40970	1/4"	1	.1 lb.
45170-2	B 45170	3/8"	1	.2 lb.
42470-2	B 42470	1/2"	1	.3 lb.
47170-2	B 47170	3/4"	1	1.0 lb.

If upon inspection the operating mechanism (illustrated at right) is found to be worn out, Ratchet Renewals are available from your tool source. On-the-spot purchase and installation of a renewal unit eliminates the necessity of a mechanic being without his ratchet while it is being serviced.



sockets, handles & attachments

1/2" drive


S-K

WAYNE

STANDARD SOCKETS 401 Series

Part Number	Size	Length	Pkg.* Weight
40114	1/16"	1 1/2"	.8 lb.
40116	1/8"	1 1/2"	.8 lb.
40118	9/16"	1 17/32"	.9 lb.

Part Number	Size	Length	Pkg.* Weight
40119	19/32"	1 17/32"	.9 lb.
40120	5/8"	1 9/16"	.9 lb.
40122	11/16"	1 19/32"	1.3 lbs.
40124	3/4"	1 19/32"	1.5 lbs.
40125	29/32"	1 5/8"	1.4 lbs.
40126	13/16"	1 5/8"	1.6 lbs.
40128	7/8"	1 21/32"	1.8 lbs.
40130	15/16"	1 21/32"	2.0 lbs.
40132	1"	1 11/16"	2.6 lbs.
40134	1 1/16"	1 23/32"	2.8 lbs.
40136	1 1/8"	1 3/4"	3.1 lbs.
40138	1 3/16"	1 3/4"	3.6 lbs.
40140	1 1/4"	1 3/4"	3.6 lbs.



REVERSIBLE RATCHET



Precision machined, 50-tooth mechanism assures close action. For other details on S-K Ratchets, see Back Cover.

Part Number	Length	Head Diam.	Pkg.* Weight
42470	10 1/2"	1 3/4"	7.5 lbs.
40170	15"	1 7/8"	10.8 lbs.

DEEP SOCKETS 408 Series

12 Point




Part Number	Size	Length	Pkg.* Weight
40816	1/2"	3 1/4"	1.9 lbs.
40818	9/16"	3 1/4"	1.9 lbs.
40820	5/8"	3 1/4"	2.1 lbs.
40822	11/16"	3 1/4"	2.2 lbs.
40824	3/4"	3 1/4"	2.6 lbs.
40826	13/16"	3 1/4"	2.4 lbs.
40828	7/8"	3 1/4"	3.7 lbs.
40830	15/16"	3 1/4"	4.0 lbs.
40832	1"	3 1/4"	4.4 lbs.
40834	1 1/16"	3 1/4"	4.7 lbs.
40836	1 1/8"	3 1/4"	4.9 lbs.



**SPEEDER
HANDLE**

Part Number	Length	Diam.	Pkg.* Weight
40181	18"	1/2"	9.9 lbs.


FLEX HEAD HANDLE



41653 is a dual purpose tool, having a female square broached in handle for use as a 17" extension — (see illustration).

Part Number	Length	Head Diam.	Pkg.* Weight
40253	15 1/2"	1 1/8"	8.7 lbs.
41653	17"	1 1/8"	12.5 lbs.

SPARK PLUG SOCKET



Neoprene insert holds spark plug securely. Protects porcelain.


Part Number	Size	Length	Pkg.* Weight
4826	13/16"	2 17/32"	1.8 lbs.

SLIDE "T" HANDLE



Part Number	Length	Diam.	Pkg.* Weight
40152	10"	9/16"	5.5 lbs.

EXTENSIONS



Part Number	Length	Diam.	Pkg.* Weight
40160	2"	9/16"	1.1 lbs.
40161	5"	9/16"	2.2 lbs.
40162	10"	9/16"	4.0 lbs.

UNIVERSAL JOINT

Part Number 40190; Length 2 5/16"; Pkg.* Weight 1.50 lbs.



DRAG LINK SOCKET

Part Number 40809; Blade Dim. 15/16" x .15"; Length 1 19/32"; Pkg.* Weight 1.00 lb.



FORD V8 CONNECTING ROD SOCKET

Part Number 4V118; Size 9/16"; Length, 1 1/4"; Pkg.* Weight .80 lb. (Extra thin — not guaranteed)



ADAPTER

Part Number 401; Size 1/2" Female — 3/8" Male; Length 1 1/8". Permits use of 3/8" drive sockets with 1/2" drive handles. Pkg.* Weight .60 lb.



REVERSIBLE RATCHET



Positive type, 70-tooth mechanism operates in only 5.1°. Strength, balance and durability are contributing factors also to its unprecedented mechanic acceptance. For other details on S-K Ratchets, see Back Cover.

Part Number	Length	Head Diam.	Pkg.† Weight
47170	18"	2 1/8"	5.2 lbs.

3/4"
drive

sockets,
handles &
attachments

S-K

WAYNE

FLEX HEAD HANDLE



Part Number	Length	Head Diam.	Pkg.† Weight
47155	19"	1 1/2"	3.6 lbs.

These heavy-duty tools handle the big jobs in factories and heavy industrial work. Also used extensively in shipyards, heavy construction, and servicing of trucks, tractors, oil wells, buses, railway and diesel equipment.

SLIDE "T" HANDLE



Part Number	Length	Diam.	Pkg.† Weight
47153	18"	3/8"	3.8 lbs.

EXTENSIONS



Part Number	Length	Diam.	Pkg.† Weight
47161	8"	1 5/16"	1.7 lbs.
47162	16"	1 5/16"	3.4 lbs.

STANDARD SOCKETS 471 Series



12 Point

Part Number	Size	Length	Pkg.† Weight	Part Number	Size	Length	Pkg.† Weight
47128	3/8"	2"	.5 lb.	47146	1 7/16"	2 1/4"	.9 lb.
47130	15/16"	2"	.5 lb.	47148	1 1/2"	2 5/16"	.9 lb.
47132	1"	2"	.5 lb.	47150	1 9/16"	2 11/32"	1.0 lb.
47134	1 1/16"	2"	.5 lb.	47152	1 5/8"	2 3/8"	1.0 lb.
47136	1 1/8"	2 1/16"	.6 lb.	47154	1 11/16"	2 7/16"	1.1 lbs.
47138	1 3/16"	2 3/32"	.6 lb.	47156	1 3/4"	2 1/2"	1.2 lbs.
47140	1 1/4"	2 1/8"	.6 lb.	47158	1 13/16"	2 9/16"	1.3 lbs.
47142	1 5/16"	2 5/32"	.8 lb.	47160	1 7/8"	2 5/8"	1.4 lbs.
47144	1 3/8"	2 3/16"	.8 lb.	47164	2"	2 11/16"	1.5 lbs.

†All above items packed in standard package of 1

tool boxes

S-K

WAYNE



No. 1500 GENERAL MECHANIC'S BOX

Sturdy tool box in popular hip-roof style. Separate lift-out tote tray with carrying bar and full length partition. Ample room below tray for other tools. Top quality hardware includes round, metal carrying handle and nickel-plated draw bolt.

Number	Dimensions	Std. Pkg.	Shipping Weight
1500	17 $\frac{1}{8}$ " x 6" x 6"	1	6 lbs.



No. 620 ALL-PURPOSE TOOL BOX

The uses for this versatile box are unlimited. A very popular box among mechanics, electricians, plumbers and home handymen. Sturdy metal handle designed to fit the hand. Convenient lift-out tote tray with strong tubular handle, and partition for tools and small parts. Spotwelded seams, piano type hinge, and heavy duty, nickel-plated draw bolt equipped for padlock.

Number	Dimensions	Std. Pkg.	Shipping Weight
620	20" x 8 $\frac{1}{2}$ " x 9 $\frac{1}{2}$ "	1	13 lbs.



No. 1502 HEAVY DUTY TOOL BOX

Lift-out tote tray has heavy carrying bar and full length partition for socket wrenches. Ample room under the tray for storage of other long wrenches, screwdrivers, punches, hammers, etc. Equipped with two full length piano type hinges, metal carrying handle, and heavy-duty, nickel-plated draw bolt equipped for padlock.

Number	Dimensions	Std. Pkg.	Shipping Weight
1502	19" x 7" x 8 $\frac{3}{4}$ "	1	11 lbs.

No. 1503 GENERAL MECHANIC'S BOX

Lift-out tote tray has carrying bar and full length partition. Adequate space below tray for other tools. Equipped with round metal carrying handle, nickel-plated side catches and hasp for padlock.

Number	Dimensions	Std. Pkg.	Shipping Weight
1503	20" x 6" x 6"	1	9.0 lbs.



S-K

WAYNE



No. 6614 HEAVY DUTY MACHINIST CHEST

A chest that is in demand wherever offered. Steel construction throughout. Drawers and inside of top compartment are lined with green felt. Drawers cannot fall out. Equipped with nickel-plated hardware throughout. The front panel slides into a recess at bottom of the drawers when chest is open. When chest is closed, this panel fits against drawers and is held by nickel-plated lock, locking drawers securely.


Number	Dimensions	Std. Pkg.	Shipping Weight
6614	20" x 8 $\frac{3}{4}$ " x 13"	1	27 lbs.



No. 6611 HEAVY DUTY TOOL CHEST

An ideal chest for the professional mechanic. Top compartment contains an 18" tote tray for carrying emergency tools right to the job. Free-sliding drawers with compound slides cannot pull out or tip and spill contents. The top drawer is divided into compartments for miscellaneous small tools. The bottom drawer will accommodate $\frac{3}{4}$ " drive sockets and handles and other bulky tools. Removable front panel covers drawers and is securely locked in place by cover. Heavy-duty, nickel-plated draw bolt equipped for padlock. There is a sturdy handle on each end for carrying.

Number	Dimensions	Std. Pkg.	Shipping Weight
6611	22" x 10" x 10"	1	30 lbs.



No. 6610 HEAVY DUTY TOOL CHEST

Same as above except smaller tote tray and without compound slides on drawers. 26 lbs.



No. 619 GENERAL PURPOSE TOOL BOX

Designed for the mechanic who must have a box that withstands heavy use. Has lift-out tray. Full length piano type hinge, and heavy duty, nickel-plated draw bolt equipped for padlock. Metal handle.

Number	Dimensions	Std. Pkg.	Shipping Weight
619	19" x 7" x 7 $\frac{1}{4}$ "	1	9.0 lbs.

No. 6000 MASTER MECHANIC'S TOOL BOX

This large hip-roof box is rigidly constructed. Full length piano type hinges and folded edges provide additional strength and protection. Also equipped with nickel-plated side catches and hasp for padlock. Full size tote tray is partitioned for sockets and other small tools and has heavy, tubular steel carrying bar. An unusual cover arrangement opens part of the front side, making it easier to get at tools in bottom.

Number	Dimensions	Std. Pkg.	Shipping Weight
6000	20" x 8" x 9 $\frac{3}{4}$ "	1	13 lbs.

Spa Saver^{*} displays

S-K

WAYNE



No. 5 SPA SAVER DISPLAY


Five fast-selling S-K Sets, arranged for maximum sales "step-up." SpaSaver display mounts on perfbord, or on other surfaces, stands on counter. Everything instantly visible in this smart display, with no waste space. (Companion to No. 6 Display)

Set No.	Description
4915	1/4" Drive — (15 Pcs.)
4511	3/8" Drive — (11 Pcs.)
4520	3/8" Drive — (20 Pcs.)

Dimensions 16" x 23"

Set No.	Description
4116	1/2" Drive — (16 Pcs.)
4118	1/2" Drive — (18 Pcs.)

Shipping Weight 43 lbs.



No. 57 SPA SAVER DISPLAY

A profit-producing, low-inventory assortment of S-K 3/8" and 1/2" drive tools. Includes 77 sockets and handles with compact display bracket for use on perfbord or other wall surfaces—complete with part number and price strips. Companion to No. 35-H and No. 24-H Display.

3/8" Drive		
1-451 Adapter	1-4426S S.P. Skt. 13/16"	1-45120 Skt. 5/8"
1-40412 Dp. Skt. 3/8"	1-40614 Fl. Skt. 7/16"	1-45122 Skt. 11/16"
1-40414 Dp. Skt. 7/16"	1-40616 Fl. Skt. 1/2"	1-45124 Skt. 3/4"
2-40416 Dp. Skt. 1/2"	1-40618 Fl. Skt. 9/16"	1-45160 Ext. 3"
2-40418 Dp. Skt. 9/16"	1-40620 Fl. Skt. 5/8"	1-45161 Ext. 6"
1-40420 Dp. Skt. 5/8"	1-45112 Skt. 3/8"	1-45162 Ext. 12"
1-40422 Dp. Skt. 11/16"	1-45114 Skt. 7/16"	2-45170 Ratchet
1-40424 Dp. Skt. 3/4"	2-45116 Skt. 1/2"	1-45181 Speeder
1-40426 Dp. Skt. 13/16"	2-45118 Skt. 9/16"	1-45190 Univ. Joint
1/2" Drive		
1-401 Adapter	1-40132 Skt. 1"	2-40816 Dp. Skt. 1/2"
2-40114 Skt. 7/16"	1-40134 Skt. 1 1/16"	2-40818 Dp. Skt. 9/16"
2-40116 Skt. 1/2"	1-40136 Skt. 1 1/8"	2-40820 Dp. Skt. 5/8"
2-40118 Skt. 9/16"	1-40138 Skt. 1 3/16"	2-40822 Dp. Skt. 11/16"
2-40120 Skt. 5/8"	1-40140 Skt. 1 1/4"	2-40824 Dp. Skt. 3/4"
2-40122 Skt. 11/16"	1-40160 Ext. 2"	2-40826 Dp. Skt. 13/16"
2-40124 Skt. 3/4"	2-40161 Ext. 5"	1-40828 Dp. Skt. 7/8"
1-40126 Skt. 13/16"	1-40162 Ext. 10"	2-41653 Flex
1-40128 Skt. 7/8"	1-40181 Speeder	2-42470 Ratchet
1-40130 Skt. 15/16"	1-40190 Univ. Joint	1-4826 S.P. Skt. 13/16"

Dimensions 27" x 16"

Shipping Weight 39 lbs.

*Trademark


No. 23 Spā SAVER DISPLAY

Newly designed SpaSaver display shows these man-sized tools off brilliantly. Presents 23 of the most popular $\frac{3}{8}$ " drive items, including 1 each of 18 sockets, 5 handles. Total inventory: 23 tools.

$\frac{3}{8}$ " Drive

- | | |
|--------------------------------|--------------------------------|
| 1—47128 Skt. $\frac{7}{8}$ " | 1—47152 Skt. $1\frac{1}{8}$ " |
| 1—47130 Skt. $1\frac{1}{16}$ " | 1—47154 Skt. $1\frac{1}{16}$ " |
| 1—47132 Skt. 1" | 1—47156 Skt. $1\frac{3}{4}$ " |
| 1—47134 Skt. $1\frac{1}{16}$ " | 1—47158 Skt. $1\frac{1}{16}$ " |
| 1—47136 Skt. $1\frac{1}{8}$ " | 1—47160 Skt. $1\frac{1}{8}$ " |
| 1—47138 Skt. $1\frac{3}{16}$ " | 1—47164 Skt. 2" |
| 1—47140 Skt. $1\frac{1}{4}$ " | 1—47153 Slide T |
| 1—47142 Skt. $1\frac{5}{16}$ " | 1—47155 Flex |
| 1—47144 Skt. $1\frac{3}{8}$ " | 1—47161 Extension |
| 1—47146 Skt. $1\frac{1}{16}$ " | 1—47162 Extension |
| 1—47148 Skt. $1\frac{1}{2}$ " | 1—47170 Ratchet |
| 1—47150 Skt. $1\frac{1}{16}$ " | |

Display Dimensions 14" x 32"



Shipping Weight 44 lbs.

Spā Saver^{*} displays

S-K

WAYNE

No. 85 Spā SAVER DISPLAY

A real producer of volume sales on $\frac{1}{4}$ ", $\frac{3}{8}$ " and $\frac{1}{2}$ " drive sockets and handles. Includes balanced stock of 85 different tools, selected to provide maximum turnover and dollar value. Total inventory: 91 tools. Smartly arranged on attractive background. Companion to No. 35B and No. 24B displays.

$\frac{1}{4}$ " Drive

- | | | |
|-------------------------------|-------------------------------|---------------------|
| 1—384 Adapter | 1—40910 Skt. $\frac{5}{16}$ " | 1—40954 Spin Hdle. |
| 1—40906 Skt. $\frac{1}{16}$ " | 1—40911 Skt. $\frac{1}{32}$ " | 1—40961 Ext. 2" |
| 1—40907 Skt. $\frac{1}{32}$ " | 1—40912 Skt. $\frac{3}{8}$ " | 1—40962 Ext. 6" |
| 1—40908 Skt. $\frac{1}{4}$ " | 1—40914 Skt. $\frac{1}{16}$ " | 1—40970 Ratchet |
| 1—40909 Skt. $\frac{9}{32}$ " | 1—40916 Skt. $\frac{1}{2}$ " | 1—40990 Univ. Joint |

$\frac{3}{8}$ " Drive


- | | | |
|------------------------------------|------------------------------------|--------------------------------|
| 1—451 Adapter | 1—40614 Fl. Skt. $\frac{7}{16}$ " | 1—45122 Skt. $1\frac{1}{16}$ " |
| 1—40412 Dp. Skt. $\frac{3}{8}$ " | 1—40616 Fl. Skt. $\frac{1}{2}$ " | 1—45124 Skt. $\frac{3}{4}$ " |
| 1—40414 Dp. Skt. $\frac{7}{16}$ " | 1—40618 Fl. Skt. $\frac{9}{16}$ " | 1—45153 Flex |
| 1—40416 Dp. Skt. $\frac{1}{2}$ " | 1—40620 Fl. Skt. $\frac{5}{8}$ " | 1—45159 Ext. $1\frac{1}{2}$ " |
| 1—40418 Dp. Skt. $\frac{9}{16}$ " | 1—40622 Fl. Skt. $1\frac{1}{16}$ " | 1—45160 Ext. 3" |
| 1—40420 Dp. Skt. $\frac{5}{8}$ " | 1—40624 Fl. Skt. $\frac{3}{4}$ " | 1—45161 Ext. 6" |
| 1—40422 Dp. Skt. $1\frac{1}{16}$ " | 1—45112 Skt. $\frac{3}{8}$ " | 1—45162 Ext. 12" |
| 1—40424 Dp. Skt. $\frac{3}{4}$ " | 1—45114 Skt. $\frac{7}{16}$ " | 1—45170 Ratchet |
| 1—40426 Dp. Skt. $1\frac{3}{16}$ " | 1—45116 Skt. $\frac{1}{2}$ " | 1—45181 Speeder |
| 1—4426 S.P. Skt. $1\frac{1}{16}$ " | 1—45118 Skt. $\frac{9}{16}$ " | 1—45190 Univ. Joint |
| 1—40612 Fl. Skt. $\frac{3}{8}$ " | 1—45120 Skt. $\frac{5}{8}$ " | 1—3870 Roto-Ratchet |

$\frac{1}{2}$ " Drive

- | | | |
|-----------------------------------|-----------------------------------|-------------------------------------|
| 1—401 Adapter | 1—40132 Skt. 1" | 2—40820 Dp. Skt. $\frac{7}{8}$ " |
| 1—40114 Skt. $\frac{1}{16}$ " | 1—40134 Skt. $1\frac{1}{16}$ " | 2—40822 Dp. Skt. $1\frac{1}{16}$ " |
| 1—40116 Skt. $\frac{1}{2}$ " | 1—40136 Skt. $1\frac{1}{8}$ " | 2—40824 Dp. Skt. $\frac{3}{4}$ " |
| 1—4V118 Fd. Skt. $\frac{9}{16}$ " | 1—40138 Skt. $1\frac{3}{16}$ " | 2—40826 Dp. Skt. $1\frac{3}{16}$ " |
| 1—40118 Skt. $\frac{9}{16}$ " | 1—40140 Skt. $1\frac{1}{4}$ " | 2—40828 Dp. Skt. $\frac{7}{8}$ " |
| 1—40119 Skt. $1\frac{9}{32}$ " | 1—40160 Ext. 2" | 1—40830 Dp. Skt. $1\frac{3}{16}$ " |
| 1—40120 Skt. $\frac{5}{8}$ " | 1—40161 Ext. 5" | 1—40832 Dp. Skt. 1" |
| 1—40122 Skt. $1\frac{1}{16}$ " | 1—40162 Ext. 10" | 1—40834 Dp. Skt. $1\frac{1}{16}$ " |
| 1—40124 Skt. $\frac{3}{4}$ " | 1—40181 Speeder | 1—4826 S. P. Skt. $1\frac{3}{16}$ " |
| 1—40125 Skt. $2\frac{5}{32}$ " | 1—40190 Univ. Joint | 1—41653 Flex |
| 1—40126 Skt. $1\frac{3}{16}$ " | 1—40816 Dp. Skt. $\frac{1}{2}$ " | 1—42470 Ratchet |
| 1—40128 Skt. $\frac{7}{8}$ " | 2—40818 Dp. Skt. $\frac{9}{16}$ " | 1—40170 Ratchet |
| 1—40130 Skt. $1\frac{5}{16}$ " | | |

Dimensions 24" x 32"

Shipping Weight 51 lbs.



No. 9 Spā SAVER DISPLAY

Smart grained backing, and chrome-plated tubular steel legs, provides a spectacular showcase for nine popular S-K Wayne socket sets. Your customers can see at a glance the exact socket set that meets his needs best. Companion to new No. 7 display.

Set No.	Description	Set No.	Description
4915	$\frac{1}{4}$ " Drive — (15 Pcs.)	4528	$\frac{3}{8}$ " Drive — (28 Pcs.)
4921	$\frac{1}{4}$ " Drive — (21 Pcs.)	4116	$\frac{1}{2}$ " Drive — (16 Pcs.)
4511	$\frac{3}{8}$ " Drive — (11 Pcs.)	4118	$\frac{1}{2}$ " Drive — (18 Pcs.)
4408	$\frac{3}{8}$ " Drive — (8 Pcs.)	4122	$\frac{1}{2}$ " Drive — (22 Pcs.)
4520	$\frac{3}{8}$ " Drive — (20 Pcs.)		

Dimensions 18" x 52"

Shipping Weight 97 lbs.

*Trademark

ALL DISPLAY EQUIPMENT SUPPLIED FREE WITH PURCHASE OF TOOL INVENTORY



Spa Saver* displays

S-K

WAYNE

No. 6 SPA SAVER DISPLAY

An exciting new merchandiser designed for impulse volume on 6 forged wrench sets. Compact unit mounts on perforboard or stands as easel unit on counters. Companion to No. 5.

Quan.	Set No.	Description
1	3	3 pc. Short Pat. ($\frac{3}{8}$ " to $\frac{1}{2}$ ")
1	350	5 pc. Long Pat. ($\frac{3}{8}$ " to $\frac{1}{2}$ ")
1	560	6 pc. Open End ($\frac{1}{4}$ " to $\frac{1}{2}$ ")
1	580	8 pc. Open End ($\frac{1}{4}$ " to 1 ")
1	1706-B	6 pc. Comb. ($\frac{3}{8}$ " to $\frac{1}{2}$ ")
1	1711-B	11 pc. Comb. ($\frac{3}{8}$ " to 1 ")

Dimensions
16" x 26"

Ship. Wt.
23 lbs.

No. 24H SPA SAVER DISPLAY


Best buy selection of pliers and adjustables. Total inventory: 46 tools. Companion to No. 57 and No. 35H.

Quan.	Part No.	Description	Quan.	Part No.	Description
2	8004	4" Pol. Adj. Wr.	2	7205	5" Pol. Plier
2	8006	6" Pol. Adj. Wr.	2	7206	6" Pol. Plier
2	8008	8" Pol. Adj. Wr.	2	7208	8" Pol. Plier
2	8010	10" Pol. Adj. Wr.	2	7510	10" Pol. Groove Joint*
2	8012	12" Pol. Adj. Wr.	2	7500	10" Groove Joint (black oxide finish)
1	8016	16" Pol. Adj. Wr.	2	18308	8" Lineman Plier*
2	8104	4" Black Adj. Wr.	2	18507	7" End Nipper*
2	8106	6" Black Adj. Wr.	2	17817	7" Chain Nose Plier*
2	8108	8" Black Adj. Wr.	2	16616	6" Chain Nose Plier*
2	8110	10" Black Adj. Wr.	2	16107	7" Heavy Duty Diag.*
2	8112	12" Black Adj. Wr.	2	15016	6" Diagonal Plier*
1	8116	16" Black Adj. Wr.	2	15015	5" Diagonal Plier*

Dimensions: 30" x 24"

Ship. Wt. 48 lbs.

*Plastic cushion grip handles.



No. 7 SPA SAVER DISPLAY

Exciting new floor display telescopes down to counter-use size. Double-deck array of box, open-end and combination wrench sets. Requires only 2 sq. ft. of floor space. Companion to No. 9.

Quan.	Set No.	Description
2	3	3 pc. Short Pat. ($\frac{3}{8}$ " to $\frac{1}{2}$ ")
2	350	5 pc. Long Pat. ($\frac{3}{8}$ " to $\frac{1}{2}$ ")
2	510	10 pc. Open End ($\frac{1}{4}$ " to 1 ")
2	560	6 pc. Open End ($\frac{1}{4}$ " to $\frac{1}{2}$ ")
2	1706-B	6 pc. Comb. ($\frac{3}{8}$ " to $\frac{1}{2}$ ")
2	1711-R	11 pc. Comb. ($\frac{3}{8}$ " to 1 ")
2	1714	14 pc. Comb. ($\frac{3}{8}$ " to $1\frac{1}{4}$ ")

Height
58" (as floor model)
43" (as counter model)

Ship. Wt.
82 lbs.



No. 24B SPA SAVER DISPLAY


Does an exciting job of merchandising adjustables, slip-joint and solid joint pliers. Total inventory: 46 tools. Companion to No. 85 and No. 35B.

Quan.	Part No.	Description
2	8004	4" Pol. Adj. Wr.
2	8006	6" Pol. Adj. Wr.
2	8008	8" Pol. Adj. Wr.
2	8010	10" Pol. Adj. Wr.
2	8012	12" Pol. Adj. Wr.
1	8016	16" Pol. Adj. Wr.
2	8104	4" Black Adj. Wr.
2	8106	6" Black Adj. Wr.
2	8108	8" Black Adj. Wr.
2	8110	10" Black Adj. Wr.
2	8112	12" Black Adj. Wr.
1	8116	16" Black Adj. Wr.
2	17817	7" Chain Nose Plier*
2	16616	6" Chain Nose Plier*
2	16415	5" Chain Nose Plier*
2	15015	5" Diagonal Plier*
2	15016	6" Diagonal Plier*
2	16107	7" Heavy Duty Diagonal*
2	19488	8" Battery Plier*
2	7206	6" Pol. Plier
2	7208	8" Pol. Plier
2	7510	10" Pol. Groove Joint Plier*
2	7408	8" Hose Clamp Plier
2	7265	6" Thin Nose Plier


Dimensions
24" x 32"

Ship. Wt.
49 lbs.

*Plastic cushion grip handles.



*Trademark



Spa Saver^{*} displays

S-K

WAYNE

No. 35H SPA SAVER DISPLAY

Streamlined display with part number identification and pre-pricing. Total inventory: 67 tools. Companion to No. 57 and No. 24H.

TOOL LISTING FOR BOTH THE No. 35H AND No. 35B SPASAVER DISPLAY

Box Wrenches

2 B-1214	3/8" x 7/16"	2 B-2024	5/8" x 3/4"	2 M-1214	3/8" x 7/16"
2 B-1416	7/16" x 1/2"	2 B-2224	1 1/16" x 3/4"	2 M-1618	1/2" x 9/16"
2 B-1618	1/2" x 9/16"	2 B-2628	1 3/16" x 7/8"	2 M-2022	5/8" x 1 1/16"
2 B-1820	9/16" x 5/8"	2 B-3032	1 5/16" x 1"		

Combination Wrenches

2 C-12	3/8"	2 C-22	1 1/16"	2 C-32	1"
2 C-14	7/16"	2 C-24	3/4"	1 C-34	1 1/16"
2 C-16	1/2"	2 C-26	13/16"	1 C-36	1 1/8"
2 C-18	9/16"	2 C-28	7/8"	1 C-40	1 1/4"
2 C-20	5/8"	2 C-30	1 5/16"		

Open End Wrenches


2 O-810	1/4" x 5/16"	2 O-1820	9/16" x 5/8"	2 O-2428	3/4" x 7/8"
2 O-1214	3/8" x 7/16"	2 O-1922	19/32" x 1 1/16"	2 O-3032	1 5/16" x 1"
2 O-1416	7/16" x 1/2"	2 O-2024	5/8" x 3/4"		
2 O-1618	1/2" x 9/16"	2 O-2526	25/32" x 1 3/16"		

Dimensions — 30" x 21"

Shipping Weight 42 lbs.

No. 35B SPA SAVER DISPLAY

Box, open end and combination wrenches conveniently arranged to invite impulse buying. Total inventory: 67 tools. Dimensions: 24" x 32". Shipping Weight 51 lbs. Companion to No. 85 and No. 24B.




No. 25H SPA SAVER DISPLAY

A compact merchandiser featuring 7 popular hardware pliers. Can be displayed independently or with SpaSaver display L-25H.

Quan.	Part No.	Description
2	15015	5" Diagonal Plier
2	15016	6" Diagonal Plier
2	16107	7" Heavy Duty Diagonal
2	18308	8" Lineman Plier
2	18507	7" End Nipper
2	16616	6" Chain Nose Plier
2	17817	7" Chain Nose Plier

Dimensions: 8" x 24" Shipping Weight 8 lbs.

No. 35B SPA SAVER DISPLAY




No. 25B SPA SAVER DISPLAY

This compact merchandiser displays 7 popular automotive pliers. Can be used by itself, or as adaptor to existing SpaSaver display No. 25B.

Quan.	Part No.	Description	Quan.	Part No.	Description
2	15015	5" Diagonal Plier	2	16415	5" Chain Nose Plier
2	15016	6" Diagonal Plier	2	16616	6" Chain Nose Plier
2	16107	7" Heavy Duty Diagonal	2	17817	7" Chain Nose Plier
2	19488	8" Battery Plier			

Dim. 22 1/2" x 7 1/4" Ship. Wt. 8 lbs.




*Trademark

alloy box end wrench sets

S·K

WAYNE




SET 3 (3 pcs. in tool bag)
SHORT PATTERN 12 PT. BOX WRENCHES

No.	Size	No.	Size
M -1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	M -2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "
M -1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "		

Std. Pkg. 6


Shipping Wt. 3.1 lbs.



SET 330 (3 pcs. in tool roll)
LONG PATTERN 6 PT.
BOX WRENCHES

No.	Size
H -1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "
H -1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "
H -2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "

Std. Pkg. 3 Shipping Weight 3.3 lbs.




SET 350 (5 pcs. in tool bag)
LONG PATTERN 12 PT. BOX WRENCHES

No.	Size	No.	Size
B-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	B-2224	$\frac{11}{16}$ " x $\frac{3}{4}$ "
B-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	B-2628	$\frac{13}{16}$ " x $\frac{7}{8}$ "
B-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "		

Std. Pkg. 6

Shipping Weight 13 lbs.



SET 311R (11 pcs. in tool roll)
LONG PATTERN 12 PT.
BOX WRENCHES


No.	Size
B-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "
B-1416	$\frac{7}{16}$ " x $\frac{1}{2}$ "
B-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "
B-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "
B-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "
B-2224	$\frac{11}{16}$ " x $\frac{3}{4}$ "
B-2628	$\frac{13}{16}$ " x $\frac{7}{8}$ "
B-3032	$\frac{15}{16}$ " x 1"

**SHORT PATTERN 12 PT.
BOX WRENCHES**

No.	Size
M -1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "
M -1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "
M -2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "

Std. Pkg. 1

Shipping Wt. 4.6 lbs.



SET 360 (6 pcs. in tool roll)
LONG PATTERN 12 PT.
BOX WRENCHES


No.	Size
B-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "
B-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "
B-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "
B-2224	$\frac{11}{16}$ " x $\frac{3}{4}$ "
B-2628	$\frac{13}{16}$ " x $\frac{7}{8}$ "
B-3032	$\frac{15}{16}$ " x 1"

Std. Pkg. 1 Shipping Weight 3.3 lbs.

**SET 380 (8 pcs. in tool roll)—
Not illustrated**
LONG PATTERN 12 PT.
BOX WRENCHES

No.	Size
B-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "
B-1416	$\frac{7}{16}$ " x $\frac{1}{2}$ "
B-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "
B-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "
B-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "
B-2224	$\frac{11}{16}$ " x $\frac{3}{4}$ "
B-2628	$\frac{13}{16}$ " x $\frac{7}{8}$ "
B-3032	$\frac{15}{16}$ " x 1"


Std. Pkg. 1 Shipping Weight 4.1 lbs.



SET 1706B
(6 pcs. in tool bag)
COMBINATION
WRENCHES

No.	Size
C-12	3/8"
C-14	7/16"
C-16	1/2"
C-18	9/16"
C-20	5/8"
C-22	11/16"

Std. Pkg. 6
Shipping Weight 8.1 lbs.



SET 1711B (11 pcs. in tool bag)
COMBINATION WRENCHES

No.	Size	No.	Size
C-12	3/8"	C-24	3/4"
C-14	7/16"	C-26	13/16"
C-16	1/2"	C-28	7/8"
C-18	9/16"	C-30	15/16"
C-20	5/8"	C-32	1"
C-22	11/16"		

Std. Pkg. 3 Shipping Weight 16 lbs.


alloy combination wrench sets

S·K

WAYNE

These sets include C series alloy combination wrenches, properly machined and heat treated — nickel chrome plated and highly polished. Tool rolls are tough vinyl impregnated cotton with clear plastic pockets. Grommets for hanging.

SET 1711R (11 pcs. in tool roll)



COMBINATION WRENCHES

No.	Size	No.	Size
C-12	3/8"	C-24	3/4"
C-14	7/16"	C-26	13/16"
C-16	1/2"	C-28	7/8"
C-18	9/16"	C-30	15/16"
C-20	5/8"	C-32	1"
C-22	11/16"		

Std. Pkg. 1

Shipping Weight 5.5 lbs

SET 1706R (6 pcs. in tool roll) — Not illustrated
COMBINATION WRENCHES

No.	Size	No.	Size
C-14	7/16"	C-20	5/8"
C-16	1/2"	C-22	11/16"
C-18	9/16"	C-24	3/4"

Std. Pkg. 1

Shipping Weight 1.9 lbs.

SET 1714
(14 pcs. in tool roll)
COMBINATION WRENCHES

No.	Size
C-12	3/8"
C-14	7/16"
C-16	1/2"
C-18	9/16"
C-20	5/8"
C-22	11/16"
C-24	3/4"
C-26	13/16"
C-28	7/8"
C-30	15/16"
C-32	1"
C-34	1 1/16"
C-36	1 1/8"
C-40	1 1/4"

Std. Pkg. 1
Shipping Weight 12 lbs.




alloy open end wrench sets

S·K

WAYNE

The six sets listed on these two pages contain O and T series open end wrenches in various combinations. Tool rolls are heavy duty vinyl impregnated cotton with clear plastic pockets. Grommeted for hanging.




SET 560 (6 pcs. in tool bag)
OPEN END WRENCHES

No.	Size	No.	Size
O-810	1/4" x 5/16"	O-1922	19/32" x 11/16"
O-1214	3/8" x 7/16"	O-2024	5/8" x 3/4"
O-1618	1/2" x 9/16"	O-2428	3/4" x 7/8"

Std. Pkg. 6

Shipping Weight 11.6 lbs.



SET 580 (8 pcs. in tool bag)
OPEN END WRENCHES

No.	Size	No.	Size
O-810	1/4" x 5/16"	O-2024	5/8" x 3/4"
O-1214	3/8" x 7/16"	O-2526	25/32" x 13/16"
O-1618	1/2" x 9/16"	O-2428	3/4" x 7/8"
O-1922	19/32" x 11/16"	O-3032	15/16" x 1"

Std. Pkg. 3


Shipping Weight 11 lbs.

SET 510 (10 pcs. in tool roll)
OPEN END WRENCHES

No.	Size	No.	Size
O-810	1/4" x 5/16"	O-1922	19/32" x 11/16"
O-1214	3/8" x 7/16"	O-2024	5/8" x 3/4"
O-1416	7/16" x 1/2"	O-2526	25/32" x 13/16"
O-1618	1/2" x 9/16"	O-2428	3/4" x 7/8"
O-1820	9/16" x 5/8"	O-3032	15/16" x 1"

Std. Pkg. 1


Shipping Weight 4.2 lbs.



alloy open end wrench sets

S·K

WAYNE



SET 14-T (4 pcs. in tool bag) CHECK NUT SET

No.	Size	No.	Size
T-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	T-2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "
T-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	T-2428	$\frac{3}{4}$ " x $\frac{7}{8}$ "
Std. Pkg. 6		Shipping Weight 7 lbs.	

SET 22-T (4 pcs. in tool bag) — NOT ILLUSTRATED TAPPET WRENCH SET


No.	Size	No.	Size
T-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	T-2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "
T-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	T-2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "
Std. Pkg. 6		Shipping Weight 7 lbs.	

SET 25 (25 pcs.)

This is a complete workshop set of 25 wrenches mounted with special hangers on a piece of tempered masonite perfbord finished in machine tool gray. Includes box, combination and open end wrenches in sizes ranging from $\frac{1}{4}$ " through $1\frac{1}{4}$ ". It is ideal for the home owner's shop, garage, gas station, farm — wherever wrenches are used. The hangers, perfbord, and mounting screws are packed with the wrenches in one carton.

No.	Size	No.	Size
Long Pattern Box Wrenches			
B-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	B-2224	$1\frac{1}{16}$ " x $\frac{3}{4}$ "
B-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	B-2628	$1\frac{3}{16}$ " x $\frac{7}{8}$ "
B-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "		
Combination Wrenches			
C-12	$\frac{3}{8}$ "	C-26	$1\frac{3}{16}$ "
C-14	$\frac{7}{16}$ "	C-28	$\frac{7}{8}$ "
C-16	$\frac{1}{2}$ "	C-30	$1\frac{5}{16}$ "
C-18	$\frac{9}{16}$ "	C-32	1"
C-20	$\frac{5}{8}$ "	C-34	$1\frac{1}{16}$ "
C-22	$1\frac{1}{16}$ "	C-36	$1\frac{1}{8}$ "
C-24	$\frac{3}{4}$ "	C-40	$1\frac{1}{4}$ "
Open End Wrenches			
O-810	$\frac{1}{4}$ " x $\frac{5}{16}$ "	O-1922	$1\frac{9}{32}$ " x $1\frac{1}{16}$ "
O-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	O-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "
O-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	O-2428	$\frac{3}{4}$ " x $\frac{7}{8}$ "

COMPLETE WORKSHOP SET



No. 25 Set (25 pcs.)
Std. Pkg. 1

Dimensions: 2' x 2'
Shipping Weight 21 lbs.

forged alloy wrenches

S·K

WAYNE

M -SERIES 30° SHORT PATTERN BOX WRENCHES, 12 Pt.



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
M -1214	$\frac{3}{8}$ " x $\frac{1}{16}$ "	4 $\frac{3}{4}$ "	6	.7 lb.
M -1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	5 $\frac{5}{8}$ "	6	1.0 lb.
M -2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "	6 $\frac{3}{8}$ "	6	1.4 lbs.

H -SERIES 30° LONG PATTERN BOX WRENCHES, 6 Pt.



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
H -1214	$\frac{3}{8}$ " x $\frac{1}{16}$ "	7 $\frac{7}{8}$ "	6	1.0 lb.
H -1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	8 $\frac{3}{4}$ "	6	1.6 lbs.
H -2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "	10 $\frac{5}{8}$ "	6	3.0 lbs.

B-SERIES 30° LONG PATTERN BOX WRENCHES, 12 Pt.



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
B-1214	$\frac{3}{8}$ " x $\frac{1}{16}$ "	7 $\frac{3}{8}$ "	6	1.0 lb.
B-1416	$\frac{7}{16}$ " x $\frac{1}{2}$ "	8"	6	1.5 lbs.
B-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	8 $\frac{3}{4}$ "	6	1.6 lbs.
B-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "	9 $\frac{3}{8}$ "	6	2.3 lbs.

Part Number	Size	Length	Std. Pkg.	Pkg. Weight
B-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "	10 $\frac{5}{8}$ "	6	3.0 lbs.
B-2224	$\frac{11}{16}$ " x $\frac{3}{4}$ "	11 $\frac{3}{8}$ "	6	3.3 lbs.
B-2628	$\frac{13}{16}$ " x $\frac{7}{8}$ "	13"	6	4.5 lbs.
B-3032	$\frac{15}{16}$ " x 1"	15"	6	6.3 lbs.

C-SERIES COMBINATION WRENCHES, 12 Pt. BOX



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
C-12	$\frac{3}{8}$ "	4 $\frac{1}{2}$ "	6	.5 lb.
C-14	$\frac{7}{16}$ "	5 $\frac{1}{8}$ "	6	.7 lb.
C-16	$\frac{1}{2}$ "	5 $\frac{7}{8}$ "	6	1.0 lb.
C-18	$\frac{9}{16}$ "	6 $\frac{3}{8}$ "	6	1.4 lbs.
C-20	$\frac{5}{8}$ "	7 $\frac{1}{2}$ "	6	1.9 lbs.
C-22	$\frac{11}{16}$ "	8 $\frac{3}{8}$ "	6	2.3 lbs.
C-24	$\frac{3}{4}$ "	9 $\frac{1}{4}$ "	6	2.9 lbs.

Part Number	Size	Length	Std. Pkg.	Pkg. Weight
C-26	$\frac{13}{16}$ "	10 $\frac{3}{8}$ "	6	3.8 lbs.
C-28	$\frac{7}{8}$ "	11 $\frac{1}{8}$ "	6	4.5 lbs.
C-30	$\frac{15}{16}$ "	12 $\frac{1}{8}$ "	6	6.5 lbs.
C-32	1"	13 $\frac{3}{8}$ "	6	7.0 lbs.
C-34	$\frac{11}{16}$ "	14 $\frac{3}{4}$ "	3	5.2 lbs.
C-36	$\frac{11}{8}$ "	15 $\frac{3}{4}$ "	3	6.4 lbs.
C-40	$\frac{11}{4}$ "	17"	3	7.0 lbs.

O-SERIES OPEN END WRENCHES



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
O-810	$\frac{1}{4}$ " x $\frac{5}{16}$ "	4 $\frac{1}{2}$ "	6	.5 lb.
O-1214	$\frac{3}{8}$ " x $\frac{1}{16}$ "	5"	6	.7 lb.
O-1416	$\frac{7}{16}$ " x $\frac{1}{2}$ "	5 $\frac{3}{8}$ "	6	.9 lb.
O-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	6"	6	1.2 lbs.
O-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "	6 $\frac{1}{4}$ "	6	1.7 lbs.

Part Number	Size	Length	Std. Pkg.	Pkg. Weight
O-1922	$\frac{19}{32}$ " x $\frac{11}{16}$ "	6 $\frac{3}{4}$ "	6	2.0 lbs.
O-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "	8"	6	2.8 lbs.
O-2526	$\frac{25}{32}$ " x $\frac{13}{16}$ "	9"	6	3.5 lbs.
O-2428	$\frac{3}{4}$ " x $\frac{7}{8}$ "	9 $\frac{3}{4}$ "	6	4.3 lbs.
O-3032	$\frac{15}{16}$ " x 1"	10 $\frac{3}{4}$ "	6	6.5 lbs.


T-SERIES TAPPET WRENCHES



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
T-1214	$\frac{3}{8}$ " x $\frac{1}{16}$ "	9 $\frac{3}{8}$ "	6	1.0 lb.
T-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	9 $\frac{3}{8}$ "	6	1.5 lbs.

Part Number	Size	Length	Std. Pkg.	Pkg. Weight
T-2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "	9 $\frac{7}{8}$ "	6	2.0 lbs.
T-2428	$\frac{3}{4}$ " x $\frac{7}{8}$ "	9 $\frac{7}{8}$ "	6	2.5 lbs.

carbon wrench sets




15° OPEN END WRENCH SETS — P SERIES — Satin Finish

Demand for these nickel-chrome plated open end wrenches is never ending. Drop-forged from fine grain controlled steel. Openings are carefully machined to uniform dimensions and each tool carefully tempered. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Wt.
45	5-pc. set	$\frac{5}{16}$ " to $\frac{3}{4}$ "	2.8 lbs.
46	6-pc. set	$\frac{5}{16}$ " to $\frac{7}{8}$ "	4.1 lbs.
55	5-pc. set	$\frac{3}{8}$ " to $\frac{7}{8}$ "	4.0 lbs.
66	6-pc. set	$\frac{3}{8}$ " to 1"	5.6 lbs.
68	6-pc. set	$\frac{1}{2}$ " to 1 $\frac{1}{8}$ "	8.0 lbs.

Packed 3 to a carton.




15° OPEN END WRENCH SETS — No. 4000 SERIES — POLISHED, Nickel-Chrome Plated

Drop-forged from fine grain controlled steel. These popular sets are similar to the "P" Series except the heads are polished to a very high luster. Nickel-chrome plated for full protection. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Wt.
4500	5-pc. set	$\frac{5}{16}$ " to $\frac{3}{4}$ "	2.8 lbs.
4600	6-pc. set	$\frac{5}{16}$ " to $\frac{7}{8}$ "	4.1 lbs.
4750	6-pc. set	$\frac{1}{2}$ " to 1 $\frac{1}{8}$ "	7.8 lbs.


Packed 3 to a carton.



45-M — METRIC WRENCH SET POLISHED, Nickel-Chrome Plated

Part No.	Description	Size Range	Std. Pkg. Wt.
45-M	5-pc. set	8 mm. to 17 mm.	2.1 lbs.

Packed 3 to a carton with counter merchandiser included.





10° BOX WRENCH SETS (SHORT PATTERN) — No. 2000 SERIES — Polished Heads

Wrenches are offset 10°, are nickel-chrome plated and have polished heads. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Wt.
2300	3-pc. set	$\frac{3}{8}$ " to 1 $\frac{1}{16}$ "	1.4 lbs.
2400	4-pc. set	$\frac{3}{8}$ " to 1 $\frac{3}{16}$ "	2.1 lbs.

Packed 3 to a carton.



45° BOX WRENCH SETS (LONG PATTERN) — No. 3100 SERIES — Polished Heads

Drop forged from fine grain controlled steel, expertly hardened and nickel-chrome plated. Sturdy "hand size" handles for positive grip. Precision broached. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Wt.
3140	4-pc. set	$\frac{3}{8}$ " to 2 $\frac{5}{32}$ "	3.7 lbs.
3150	5-pc. set	$\frac{3}{8}$ " to $\frac{7}{8}$ "	6.0 lbs.
3160	6-pc. set	$\frac{3}{8}$ " to 1"	8.7 lbs.
3170	7-pc. set	$\frac{3}{8}$ " to 1 $\frac{1}{8}$ "	13.0 lbs.

Packed 3 to a carton.




COMBINATION WRENCH SETS — No. 800 SERIES — Satin Finish

Wrenches in the 800 Series are drop-forged from fine grain controlled steel. Each tool is individually tempered, nickel and chrome plated. These wrench sets give the tool user top quality at popular prices. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Wt.
845	5-pc. set	$\frac{3}{8}$ " to $\frac{5}{8}$ "	2.4 lbs.
850	5-pc. set	$\frac{7}{16}$ " to 1 $\frac{1}{16}$ "	3.0 lbs.
855	5-pc. set	$\frac{7}{16}$ " to $\frac{3}{4}$ "	3.2 lbs.
860	6-pc. set	$\frac{3}{8}$ " to $\frac{3}{4}$ "	3.5 lbs.
866	6-pc. set	$\frac{7}{16}$ " to $\frac{3}{4}$ "	4.0 lbs.

Packed 3 to a carton.



45° BOX WRENCH SETS (SHORT PATTERN) — No. 5000 SERIES — Polished Heads

Drop forged from fine grain controlled steel, expertly hardened and nickel-chrome plated. Available in sets only.


Part No.	Description	Size Range	Std. Pkg. Wt.
5300	3-pc. set	$\frac{3}{8}$ " to 1 $\frac{1}{16}$ "	3.5 lbs.
5400	4-pc. set	$\frac{3}{8}$ " to 2 $\frac{5}{32}$ "	5.8 lbs.

Packed 6 to a carton.

adjustable wrenches

S-K


WAYNE



NICKEL CHROME PLATED ADJUSTABLE WRENCHES

Forged from alloy steel, polished heads.

No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
8004	4-AW	4"	1	.2 lb.
8006	6-AW	6"	1	.4 lb.
8008	8-AW	8"	1	.6 lb.
8010	10-AW	10"	1	1.0 lb.
8012	12-AW	12"	1	1.6 lbs.
8016	16-AW	16"	1	3.8 lbs.



BLACK OXIDE FINISH ADJUSTABLE WRENCHES

Forged from alloy steel.

No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
8104	4-AWB	4"	6	.6 lb.
8106	6-AWB	6"	6	1.6 lbs.
8108	8-AWB	8"	6	3.2 lbs.
8110	10-AWB	10"	6	5.3 lbs.
8112	12-AWB	12"	3	5.1 lbs.
8116	16-AWB	16"	1	3.8 lbs.



REPLACEMENT PARTS FOR ADJUSTABLE WRENCHES

Part	Adjustable Wrench Length					
	4"	6"	8"	10"	12"	16"
Jaw (Chrome)	8004-2	8006-2	8008-2	8010-2	8012-2	8016-2
Jaw (Black)	8104-2	8106-2	8108-2	8110-2	8112-2	8116-2
Knurl	8004-3	8006-3	8008-3	8010-3	8012-3	8016-3
Pin and Spring	8004-4	8006-4	8008-4	8010-4	8012-4	8016-4



TONGUE N GROOVE PLIER —

Cushion grip handles — polished chrome faces

Jaws of 116 adjust to 11 positions with maximum opening of 4 1/4". Both pliers are highly polished nickel-chrome. Handles coated with blue vinyl plastic.


No.	Old No. Kraeuter	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7516	—	116	16"	1	2.8 lbs.
7510	CG710	110	10"	3	2.5 lbs.



TONGUE N GROOVE PLIER

The 105 has ground faces, black oxide finish.

No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7500	105	10"	3	2.5 lbs.



COMBINATION PLIER

A top quality plier, nickel chrome plated, with highly polished faces.

No.	Old No. Kraeuter	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7205	—	205	5"	3	1.0 lb.
7206	156-6	206	6"	3	1.4 lbs.
7208	156-8	208	8"	3	2.1 lbs.
7210	156-10	210	10"	3	2.5 lbs.




THIN NOSE COMBINATION PLIER

No. 265 is nickel chrome plated with highly polished faces.

No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7265	265	6"	3	1.2 lbs.

**solid
joint
pliers**



DIAGONAL CUTTING PLIER —

(Cushion Grip Handles)

A properly balanced tool designed with narrow head and keen edges for close cutting.

Part No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
15015	CG 4501-5	5-D	5"	1	.25 lbs.
15016	CG 4501-6	6-D	6"	1	.37 lbs.




HEAVY DUTY DIAGONAL CUTTING PLIER —

(Cushion Grip Handles)

Cutter is close to joint, supplying added leverage for heavy wire work and close cutting.

Part No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
16107	4610-7	7-D	7"	1	.50 lbs.




LINEMEN'S PLIER —

(Cushion Grip Handles)

General electrician's tool for installation of domestic and industrial wiring, plant maintenance and repair.

Part No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
18307	1830-7	7-SC	7"	1	.75 lbs.
18308	1830-8	8-SC	8"	1	.80 lbs.




END CUTTING NIPPER —

(Cushion Grip Handles)

For close cutting where powerful leverage is required. Jaw width 1 1/16".

Part No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Pkg. Std.	Pkg. Wt.
18507	CG 3850-7	7-NP	7"	1	.62 lbs.





BATTERY PLIER —

(Cushion Grip Handles)

Specially designed thin jaws are set at a 30° angle allowing easy access to terminal nuts. Fully polished faces.

Part No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
19488	948	8-BP	8"	1	.50 lbs.




EXTRA LONG CHAIN NOSE PLIER —

(Cushion Grip Handles)

Extra long milled jaws, inside length 2 3/4" tapering to 1/8" at points. With cutters.

Part No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
17817	1781	7-CN	7"	1	.35 lbs.




LONG CHAIN NOSE PLIER —

(Cushion Grip Handles)

Long milled jaws, inside length 1 13/16" tapering to 1/16" needle nose at point.

Part No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
16616	CG 1661	6-CN	6"	1	.35 lbs.




SHORT CHAIN NOSE PLIER —

(Cushion Grip Handles)

Short milled jaws, inside length 1 13/32" tapering to 1/16" points.

Part No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
16415	CG 1641	5-CN	5"	1	.25 lbs.



CURVED NEEDLE NOSE PLIER —

(Cushion Grip Handles)

Slender milled jaws, tapering to 1/16" at points and curved to reach areas inaccessible to other pliers.


Part No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
16315	CG 1631	6-BN	5 1/2"	1	.40 lbs.

pliers, pipe wrenches

automotive tools

S·K


WAYNE



HOSE CLAMP PLIER

Chrome plated, polished faces. Two-position adjustment accommodates all size clamps.


No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7408	208-H	8"	3	2.0 lbs.



COMBINATION PLIER — Satin Finish

Top quality plier, chrome plated and satin finished.

No.	Old No. Kraeuter	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7305		5-N	5"	12	3.5 lbs.
7306	056-6	6-N	6"	12	5.4 lbs.
7308	056-8	8-N	8"	12	8.4 lbs.
7310	056-10	10-N	10"	12	10.5 lbs.



STRAIGHT THIN NOSE COMBINATION PLIER — Satin Finish

Useful for home and professional work. Chrome plated and satin finished.


No.	Old No. Kraeuter	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7365	40	6-TN	6"	12	5.2 lbs.



WATER PUMP PLIER

Chrome plated with polished nose.

No.	Old No. Kraeuter	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7410	1943	10-WPC	10"	12	8.2 lbs.



PIPE WRENCHES

Stillson Pattern pipe wrench forged from alloy steel.

No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7006	6-SP	6"	6	2.2 lbs.
7008	8-SP	8"	6	4.0 lbs.
7010	10-SP	10"	6	8.0 lbs.
7014	14-SP	14"	6	15.0 lbs.
7018	18-SP	18"	6	25.4 lbs.
7024	24-SP	24"	6	45.0 lbs.



FORGED-TYPE RIM WRENCHES — Chrome Plated

Forged, heat treated — professional type — guaranteed unbreakable in service. Chrome-plated finish, polished sockets.

Part No.	Old No. S-K Wayne	Length	Socket Size	Std. Pkg.	Std. Pkg. Wt.
9710	710	16½"	¾"x¾"x13/16"x7/8"	25	72 lbs.
9720	720	22"	¾"x13/16"x7/8"x15/16"	10	45 lbs.

STANDARD RIM WRENCHES

Famous for dependability in garages and service shops. Upset forged from fine grain steel. Bright finish.

Part No.	Length	Socket Size	Std. Pkg.	Std. Pkg. Wt.
9000*	14"	11/16"x¾"x13/16"x19 mm.	25	50 lbs.
9100	14½"	¾"x¾"x13/16"x7/8"	25	62 lbs.
9400	16½"	¾"x¾"x13/16"x7/8"	25	70 lbs.
9500	20"	¾"x¾"x13/16"x7/8"	25	83 lbs.
9600*	16"	11/16"x¾"x13/16"x19 mm.	25	55 lbs.

*Note metric socket 19 mm.



QUALITY TIRE IRON

Professional quality with one straight end and one spoon end. Heat treated, forged from 5/8" stock. Carefully tempered, polished and nickel-chrome plated.

Part No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
9820	20-T	20"	20	33 lbs.

TIRE IRON

This economy tire iron is forged from 5/16" stock, single spoon end pattern, heat treated, bright finish.


Part No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
9888	88-S	18"	50	62 lbs.

about our new signature

In going through this catalog, you have undoubtedly noticed the change in our name from S-K/Lectrolite to S-K Wayne. Also . . . the change from double diamonds to double ovals.

This new signature was created to identify ourselves as a subsidiary of Symington Wayne Corporation. The new mark will appear on all S-K/Lectrolite products, displays, advertising, etc.

It is important to realize, however, that this new signature implies no change other than name. As we say in our advertising, "Nothing has changed but our last name. Policy, quality and distribution remain the same."



the famous S-K ratchet

S-K

WAYNE

EFFICIENT OPERATION


S-K Ratchets are positive, close-acting — an invaluable asset in tight work areas. Pressure on the handle forces the pawl, or dog, outward against the assembly housing to assure positive action. Three teeth of the pawl are engaged at all times while ratchet is in use.

S-K Ratchets operate in an arc of from 5.1° to 9° , depending on drive size, and have very little or no back movement. (See Fig. A.)

Conventional ratchets are designed on the principle of a shearing action. Because of tendency to break or shear off, teeth on the drive gear must be large, limiting the number of teeth and positions. Shear type ratchets generally operate in from 10° to 20° , and have a 5° to 10° back movement, decreasing efficiency. (See Fig. B.)



S/K Ratchet
Close-Acting
Triple-tooth contact
Figure A



Conventional Ratchet
Wide-Acting
Coarse Drive Gear
Figure B

SIMPLIFIED MAINTENANCE

To increase the life of S-K Ratchets, it is advisable to periodically remove the operating mechanism, following simple steps illustrated below, and wash out accumulated grease and grit in a cleaning solvent. No lubrication is needed to assure proper performance.



TO REMOVE MECHANISM, place ratchet in neutral position.




TO REPLACE MECHANISM, set it in neutral position.



Compress snap ring with screwdriver, thin or bent-nose plier.



Insert unit in handle, holding cap in place. Put snap ring in position.



With snap ring compressed, strike back of ratchet on solid surface.



Compress snap ring with thin or bent-nose plier and seat unit in handle.

S-K

WAYNE

TOOLS

Subsidiary of Symington Wayne Corporation
Formerly S-K/Lectrolite. Nothing has changed but our last name. Policy, quality and distribution remain the same.

Chicago, Illinois 60632 • Defiance, Ohio